



# LED Surface Mounted

**Made of high quality white body. All lamps used from PHILIPS CertaDrive with good quality SMD leds.**  
**With different Installation parts let lamp easy use to different place.**  
**Planar optical design let light widely applications:Supermarket,office,hotel and so on places.**  
**High quality light source & driven let light have longer work life and save replace cost.**




## Features:

- Energy-efficient LED light
- 30,000 hours quality warranty
- No UV and No flickering light
- CRI more than 90 light source
- PHILIPS Certa Drived

## Applications:

- Widely used for meeting room
- Shoping mall
- Showroom
- Supermarket
- Hotel
- Restaurant and so on places




**LED Surface Mounted**


**Dimension drawing:**




K-SM-10W:



K-SM-20W:




K-SM-30W:



Part No of LED King	Power	Drived	Lamp Size	Shell Color	Voltage	LED Type	Lumen	CRI	IP Grade	Wrok Life
K-SM-10W	10W	Philips	ø130xH100mm	Pure white	AC190V-265V	Epstar SMD	950Lm	≥90	IP44	30000h
K-SM-20W	20W	Philips	ø165xH115mm	Pure white	AC190V-265V	Epstar SMD	1800Lm	≥90	IP44	30000h
K-SM-30W	30W	Philips	ø200xH130mm	Pure white	AC190V-265V	Epstar SMD	2700Lm	≥90	IP44	30000h


**Installation Instruction**

<p><b>A1</b> Reverse the bottom part from lamp counterclockwise and then fix it on the ceiling. (fix the bottom part with screw)</p>	<p><b>A2</b> Fix power source on the bottom of lamp, then connect wire of power source and 220V power cord.</p>	<p><b>A3</b> Set the bottom part of lamp into and reverse the lamp clockwise until it's fixed on the base firmly.</p>	<p><b>A4</b> <b>Attention:</b> Please check the lamp is fixed hardly after you finished it.</p>
<p><b>B1</b> Fix the bottom bracket on the ceiling. (Use screws to firm up hook.)</p>	<p><b>B2</b> Fix power source on the bottom of lamp, then connect wire of power source and 220V power cord.</p>	<p><b>B3</b> Then lock the lamp and bottom bracket with screws on the two sides.</p>	<p><b>B4</b> Installation rendering.</p>



## Packing Specification

Type	Lamp Zise	Net Weight	Qty	Gross Weight	Demension
K-SM-10W	ø130xH100mm	0.62kg	18pcs	18.08kg	523x350x448mm
K-SM-20W	ø165xH115mm	0.88kg	18pcs	21.24kg	627x423x490mm
K-SM-30W	ø200xH130mm	1.12kg	12pcs	17.41kg	492x492x530mm



A:Put pearl cotton on the up side and bottom of surface mounted downlight.

Then put it on the inside box.

B: Put the box on outer container.